

## DAFTAR PUSTAKA

- Anonim, 1957. Manual of histologic and special staining technics, Armed Forces Institute of Pathology. General Pathology Laboratory. Walter Reed Medical Center, Washington D.C. p 110.
- Aohagi Y, Shibahara T, Machid N, Yamaga Y and Kagota K. 1992. *Clinostomum complanatum* (Trematoda: Clinostomatidae) in Five New Fish Hosts in Japan. *J. Wildl. Dis.* 28 (3): 467-469.
- Aohagi Y, Shibahara T, Machida N, Yamaga Y and Kagota K. 1993. *Clinostomum complanatum* (Trematoda: Clinostomatidae) in wild herons and egrets, Tottori Prefecture. *J. Wildl. Dis.* 28: 470-471.
- Adeyemo A.O, Agbede S.A. 2008. Histopathology of Tilapia tissues harbouring *Clinostomum tilapiae* parasites. *African J. Biomedic. Research.* 11: 115-118.
- Barnett R.R, Akindele T, Orfe T.C and Shepherd K.L. 1996. Eosinophilic granulocytes in the epidermis of *Oreochromis mossambicus* gill filaments studied in situ. *J. Fish Biol.* 49: 148-156.
- Bello A.R.R, Fortes E, Klein A.B, Bello A.A, Llesuy S.F, Robaldo R.B, Bianchini A. 2000. Lipid peroxidation induced by *Clinostomum detrunctatum* in muscle of the freshwater fish *Rhamdia quelen*. *Dis. Of Aqua. Org.* 42: 233-236.
- Boyd C.E. 1990. Water Quality in Ponds for Aquaculture. Alabama Agriculture Experiment Station, Auburn University. Alabama. 482 p.
- Bykhovskaya-Pavlovskaya I. E. A. V. Gusev M.N., Dubinina N.A. Izyumova T.S. Smirnova I.L, Sokovskaya G.A, Shtein, S.S. Shulman and Epstein V.M. 1964. Key to Parasites of Freshwater Fish of the USSR: Translated from Russian. The Israel Program for Scientific Translation, Jerusalem. P 2022.
- Cameron T.W.M. 1945. Fish carried parasites in Canada. I. Parasites carried by fresh water fish. *Can. J. Comp. Med.* 9: 245-254, 283-286, 302-311.
- Chung D, Moon C.H, Kong H.H, Choi D.W and Lim D.K. 1995a. The first human case of *Clinostomum complanatum* (Trematoda: Clinostomidae) infection in Korea. *The Korean J. Parasitol.* 33 (3): 219-223.
- Chung D, Kong H.H and Joo C.Y. 1995b. Demonstration of the second intermediate hosts of *Clinostomum complanatum* in Korea. *The Korean J. Parasitol.* 33 (4): 305-312.
- Chung D, Kong H.H and Joo C.Y. 1998. *Radix auricularia coreana*: Natural snail host of *Clinostomum complanatum* in Korea. *The Korean J. Parasitol.* 36 (1): 1-6.
- Coulibay N.D, Salembere S, Bessin R. 1995. Larval Clinostomiasis in cichlid fish in lake Kompeinga, Burkina Faso. A threat to fish and public health. *Francophonies yste* 5:3: 199-205.

- Dias M.L.G.C, Eiras J.C, Machado M.H, Souza G.T.R and Pavanelli G.C. 2003. The life cycle of *Clinostomum complanatum* Rudolphi, 1819. (Digenea, Clinostomidae) on the floodplain of the High Parana River, Brazil. *Parasitol. Res.* 89: 506-508.
- Dias M.L.G.G, Minte-Vera, C.V, Eiras J.C, Machado M.H, Souza G.T.R and Pavanelli G.C. 2006. Ecology of *Clinostomum complanatum* Rudolphi, 1814 (Trematoda: Clinostomidae) infecting fish from the floodplain of the high Parana River, Brazil. *Parasitol. Res.* 99: 675-681.
- Dzikowski R, Levy M.G, Poore M.F, Flowers J.R and Paperna I. 2003. Genetic and morphologic differentiation of *Bolbophorus confosust* and *B. levantinus* (Digenea: Diplostomatidae), based on rDNA SSU polymorphism and SEM. *Dis. Of Aquat. Org.* 57: 231-235.
- Dzikowski R, Levy M.G, Poore M.F, Flowers J.R and Paperna I. 2004. *Clinostomum complanatum* and *Clinostomum marginatum* (Rudolphi, 1819) (Digenea: Clinostomidae) are separate spesies based on differences in Ribosomal DNA. *J. Parasitol.* 90 (2): 413-414.
- Eiras J.C, Dias M.L.G.G, Pavanelli G.C and Machado M.H. 1999. Histological studies on the effects of *Clinostomum marginatum* (Digenea, Clinostomidae) in its second intermediate host *Loricariichthys platymetopon* (Osteichthyes, Loricariidae) of the upper Parana River, Brazil. *Acta Scientiarum* 21(2): 237-241.
- Firdaus, S. (1988). Seasonal incidence of helmintic infection in relation to sex of host, *Chana punctatus* (Blockh). *Rivista di Parasitolo*,3 (47,2): 215-20.
- Garacia M.L.J, Osorio S and Constantino F. 1993. Prevalence of parasites and the histological lesions the produce in Tilapia from Amela Lakes. Tecoman Colima. *Vet. Mex.* 4:3; 199-205.
- Handajani H dan Samsundari S. 2005. Parasit dan Penyakit Ikan. Universitas Muhammadiyah Malang. 201 Hal.
- Hirai H.H, Ooiso T, Kifune T, Kiyoto and Sakaguchi Y. 1987. *Clinostomum complanatum* infection in posterior wall of the pharynx of a human. *Japanese J. Parasitol.* 36: 142-144.
- Isobe A, Yoneyama T and Oshita M. 1992. The 13<sup>th</sup> human case of *Clinostomum* sp. Infection in Japan. *Japan J. Parasitol.* 42: 165.
- Kabata Z. 1985. Parasites and Diseases of Fish Culture in the Tropics. Philadephia, Taylor & Francis Limited. P 21.
- Kagei N, Yanohara Y, Uchinawa R and Sato A. 1984. On the yellow grubs, metacercariae of *Clinostomum complanatum* (Rudolphi, 1819), found in the cultured loach. *Japanese J. Parasitol.* 33: 59 – 62.

- Kamo H, Ogino K and Hatsushika A.R.A. 1962. Unique infection of man with *Clinostomum* sp. A small Trematoda causing acute laryngitis. *Yonago Acta medica*. 6: 37-40.
- Kalantan A.M.N, Arifin M and Nizami W.A. 1985. Seasonal incidence and pathogenicity of the metacercariae of *Clinostomum complanatum* in *Aphanius dispar*. *Japanese J. Parasitol*. 36: 17-23.
- Kifune T and Kousaka. M. 1994. The second case of human infection with *Clinostomum* (Trematoda: Clinostomidae) in Saga Prefecture. *Med Bull Fukuaka Univ*. 21: 99-103.
- Kifune T, Ogata M and Miyahara M. 2000. The first case of Human Infection with *Clinostomum* (Trematoda: Clinostomidae) in Yamaguschi Prefecture, Japan. *Med. Bull. Fukuaka Univ*. 27 (2): 101-105.
- Kitagawa N, Oda M, Totoki T, Washizaki S, Oda M and Kifune T. 2003. Lidocaine spray used to capture a live *Clinostomum* parasite causing laryngitis. *Am. J. Otolaryngol*. 24 (5): 341-343.
- Lane R.L and Morris J. 2000. Biology, Prevention and Effects of Common Grubs (Digentic Trematodes) in Freshwater Fish. Technical Bulletin Series 15. Departement of Animal Ecology Iowa State University. P 10.
- Lacerda A.C.F, Takemoto R.M and Pavanelli G. 2008. Digenea, Nematoda, Cestoda, and Acanthocephala, parasites in Potamotrygonidae (Chondrichthyes from the upper Parana River floodplain) states of Parana and Mato Grosso do Sul. Brazil. *Check list* 4 (2): 115-122.
- Levy M.G, Flowers J.R, Poore M.F, Khoo I. 2002. Morfologic, pathologic and genetic investigations of *Bolbophorus* spp. (Diplostomatidae, Trematoda) affecting cultured *Ictalurus punctatus* in the Missisipi Delta. *J. Aqua. Anim. Health* 14: 235-246.
- Liao X.H. 1993. Redial productivity of *Clinostomum complanatum* (Trematoda: Clinostomatidae) within the snail host. *Folia Parasitologica* 40: 313-318.
- Lo C.F, Huber F, Kou G.H and Lo C.J . 1981. Studies of *Clinostomum complanatum* (Rudolphi 1819). *Fish Pathol*. 15: 219-227.
- Lo C.F, Wang C.H, Huber F and Lo C.J. 1982. The study of *Clinostomum complanatum* (Rudolphi, 1819).II.CAPD Fisheries series No.8. *Reports on Fish Disease Research* (IV) 26-56.
- Lo C.F, Kou, G.H, Huber F and Liu F.G. 1987. The study of *Clinostomum complanatum* Rudolphi 1819. The metacercariae of *Clinostomum complanatum* in the sweet fish (*Plecoglossus altivelis*). *The memoir of parasitology in fish disease*, 2 (11): 56-63.
- Malek M and Mobedi I. 2001. Occurance of *Clinostomum complanatum* (Rudolphi, 1819) (Digenea: Clinostomatidae) in *Capoeta capoeta gracilis* (Osteichthys: Cyprinidae) from Shiroud River, Iran. *Iranian J. Publ. Health*. 30: 95-98.

- Marwan A and Mohammed T.A. 2003. Scanning Electron Microscopy of *Clinostomum complanatum* metacercaria from *Oreochromis niloticus* from Assiut, Egypt. *Egyptian J. Biol.* 5: 70-77.
- Matthews, D, Cribb, T.H. 1998. Digenetic trematodes of the genus *Clinostomum* Leidy, 1856 (Digenea: Clinostomidae) from birds of Queensland, Australia, including *C. wilsoni* n. sp. from *Egretta intermedia*. *Systematic Parasitol* 39: 199-208.
- McAllister C.T, Bursey C.R, Niemiller M.L and Miller, B.T. 2007. A noteworthy infection of *Clinostomum complanatum* (Digenea: Clinostomatidae) in a cave Salamander, *Eurycea Lucifuga* (Caudata: Plethodontidae), from Northcentral Tennessee. *Texas J. Sci.* 59 (4): 321-326.
- Miller D.L, Bursey C.R, Gray M.J, Smith L.M. 2004. Metacercariae of *Clinostomum attenuatum* in *Ambystoma tigrinum mavortium*, *Bufo Cognatus* and *Spea multiplicata* from west Texas. *J. helminth.* 28: 373-376.
- Mitchell, A.J. 1995. Yellow grubs and other problems associated with aquatic birds. *Aquacult. Mag.* 21: 93-97.
- Mwita C and Nkwengulila G. 2008. Determinants of the parasite community of clariid fishes from Lake Victoria, Tanzania. *J. Helminthol.* 82: 7 – 16.
- Olurin K.B and Somorin, C.A. 2006. Intestinal Helminths of the Fishes of Owa Stream, South-west Nigeria. *Ris. J. Fisheries and Hydrobiol.* 1 (1): 6-9.
- Philips T. 2009. [www.about.com](http://www.about.com): Biotech/Biomedical. *All about Restriction Enzyme*. Accessed on June 10.
- Silva-Sauza A.T.G and Ludwig. 2005. Parasitism of *Cichlasoma paranaense* Kullander, 1983 and *Gymnotus carapo* L, 1814 by *Clinostomum complanatum* (Rudolphi, 1819) Metacercariae in the Taquari River. *Brazilian J. Biol.* 65 (3): 2-12.
- Snyder S.D. 2004. Phylogeny and paraphyly among tetrapod blood flukes (Digenea: Schistosomatidae and Spirorchiidae). *International J. Parasitol.* 34: 1385-1392.
- Suhendra A. 2006. Penyakit parasitik pada ikan. BBPBATS. Hal 15.
- Szalai A.J, Dick T.A. 1988). Helminths of stocked rainbow trout (*Salmo gairdneri*) with reference to *Clinostomum complanatum*. *J. Wild Disease.* 24 (3): 456-460.
- Tiewchaloern S, Udomkijdecha S, Suvouttho S, Chunghamsri K and Waikagul J. 1999. *Clinostomum* trematode from human eye. *Southeast Asian J. Trop. Med. Public Health.* 30 (2): 382-384.
- Vianna R.T.J, Pereira and Brandao V.M. 2005. *Clinostomum complanatum* (Digenea: Clinostomidae) density in *Rhamdia quelen* (Siluriformes, Pimelodidae) from South Brazil. *Brazilian Arc. Biol. And Tech.* 48 (4): 635-642.

- Witenberg G. 1944. What is the cause of the parasitic Laryngo-pharyngitis in the Near East (Halzoun). *Acta Med. Orient.* 3: 191-192.
- Yamashita J. 1938. *Clinostomum complanatum*. A trematode parasite new to man. *Annotationes Zoologicae Japonese* 17: 563-566.