

DAFTAR PUSTAKA

- A. Burke. 2000, Ultracapacitors: why, how, and where is the technology, *Journal of Power Sources* 91.37–50.
- A. K.Shukla, S. Sampath, K. Vijayamohanan, 2000. *Curr. Sci.* 79. 1656
- Ahmadpour,A., Do,D.D.1996.The preparation of active carbons from coal by chemical and physical activatio. Elsevier science Ltd.34(4):471-479.
- Aliah,H., E.Sustini, Sukirno (2009), Kajian kapasitansi diferensial lapisan ganda dielektrik (Electric Double-Layer = EDL) pada cairan ionik (ionik liquid) sebagai dielektrik gate pada Field Effect Transistor. *Jurnal Nanosains dan Nanoteknologi*. Edisi khusus Agustus.
- B. E. Conway, 1999. *Electrochemical Supercapacitors-Scientific fundamentals and Technological Applications*, Kluewer, New York,
- Boerhendhy,I., Nancy,C., Gunawan,A.(2003). Prospek dan potensi pemanfaatan kayu karet sebagai substitusi kayu alam. *J.Ilmu & teknologi kayu*.1:1
- Burke, A. (2000). Ultracapacitors: why, how, and where is the technology. *Journal of Power Sources* 91(1): 37-50.
- C. Arbizzani, M. Mastragostino, L. Meneghelli, 1996. *Electrochim Acta* 41. 21.
- C-C. Wang, C-C. Hu. 2004. The capacitive performance of activated carbon–ruthenium oxide composites for supercapacitors: effects of ultrasonic treatment in NaOH and annealing in air, *Materials Chemistry and Physics* 83. 289–297
- C. Portet, P.L. Taberna, P. Simon, E. Flahaut, C. Laberty-Robert , 2005. High power density electrodes for Carbon supercapacitor applications, *Electrochimica Acta* 50. 4174–4181
- C. Peng, S. Zhang, D. Jewell, George Z. Chen, 2008. Carbon nanotube and conducting polymer composites for supercapacitors, *Progress in Natural Science* 18. 777–788.
- D. Qu, H. Shi, 1988. *J. Power sources* 74. 99.
- E. Frankowiak, F. Beguin, 2001. Carbon materials for the electrochemical storage of energy in capacitors, *carbon* 39. 937-950.
- E. Taer, M. Deraman, I. A. Talib, A. A. Umar, M. Oyama, R. M. Yunus. 2010 Physical, electrochemical and supercapacitive properties of activated carbon pellets from pre-carbonized rubber wood sawdust by CO₂ activation. *Curr Appl Phys.* (in Press).

E. Taer, M. Deraman, I. A. Talib, A. A. Umar, M. Oyama, R. M. Yunus. 2010. Preparation of highly porous carbon pellet from rubber wood sawdust for supercapacitor application: Effect of carbonization temperature, submitted paper to Carbon.

Guo, J. and A. C. Lua (2000). Effect of surface chemistry on gas-phase adsorption by activated carbon prepared from oil-palm stone with pre-impregnation. Separation and Purification Technology 18(1): 47-55.

H. Li, R. Wang, R. Cao, 2008. Physical and electrochemical characterization of hydrous ruthenium oxide/ordered mesoporous carbon composites as supercapacitor, Microporous and Mesoporous Materials 111. 32–38

Jayalakshmi, M. and K. Balasubramanian (2008). Simple Capacitors to Supercapacitors - An Overview. Int. J. Electrochem. Sci 3: 1196 - 1217.

Jumari, A., A. Purwanto, A. Ardiansya (2006). Kajian kecepatan korosi baja tulang beton menggunakan model matriks termodifikasi. Ekuilibrium 5:20-27.

K. Naoi. 1998. Extended abstracts. 49th Annual meeting of the international society of electrochemistry. Kitakyushu. Japan. September. Pp.647.

K. Babela, K. Jurewiczb, 2004. KOH activated carbon fabrics as supercapacitor material, Journal of Physics and Chemistry of Solids 65. 275–280.

Kalpana,D., S.H.Cho, S.B.Lee, Y.S.Lee, R.Misra, and N.G.Renganathan (2009). Recycled waste paper a new source of raw material for electric double layer capacitors. Journal of power sources. 190: 587-591.

Kötz, R., M. Bärtschi, et al. (2002). HY.POWER - A Fuel Cell Car Boosted with Supercapacitors. The 12th International Seminar on Double Layer Capacitors and Similar Energy Storage Devices. Deerfield Beach, USA.

Kötz, R. and M. Carlen (2000). Principles and applications of electrochemical capacitors. Electrochimica Acta 45(15-16): 2483-2498.

Leofanti, G., Padovan, M., Tozzola, G. And Venturelli, B. (1998). Surface area and pore texture of catalysts. Catalysis Today 41(1-3): 207-219.

Lewandowski, A. and M. Galinski (2007). Practical and theoretical limits for electrochemical double-layer capacitors. Journal of Power Sources 173(2): 822-828.

M. S. Dandekar, G. Arabale, K. Vijayamohanan, 2005. Preparation and characterization of composite electrodes of coconut-shell-based activated carbon and hydrous ruthenium oxide for supercapacitors, Journal of Power Sources 141. 198–203

Mintmire, J.W, dan C.R. White (1992). Universal densities of states carbon nanotubes. Physical Review letters 81: 2506-2509.

Namisnyk, A. M. (2003). A Survey of Electrochemical Supercapacitors Technology. Faculty of Engineering, University of Technology, Sydney.

Pandolfo, A.G., Hollenkamp A.F. (2006) Carbon properties and their role in supercapacitors. Journal of Power Sources 15: 11-27.

Park, B.-O., C. D. Lokhande, et al. (2004). Performance of supercapacitor with electrodeposited ruthenium oxide film electrodes-effect of film thickness.Journal of Power Sources 134(1): 148-152.

Prakash Kumar, B. G., K. Shivakamy, et al. (2006). Preparation of steam activated carbon from rubberwood sawdust (*Hevea brasiliensis*) and its adsorption kinetics. Journal of Hazardous Materials 136(3): 922-929.

Q-Y. Li, Z-S. Li, L. Lin^a, X.Y. Wang^b, Y-F Wang^a, C-H. Zhang^a and H-Q. Wang, 2010, Facile synthesis of activated carbon/carbon nanotubes compound for supercapacitor application, Chemical engineering journal, vol 156, issue 2, 500-504

R. Kotz, M. Carlen, 2000. Principles and applications of electrochemical capacitor, Electrochimica Acta 45. 2483-2498.

R-L. Tseng, S-K. Tseng, F-C. Wu, C-C. Hu, C-C. Wang, 2008. Effects of micropore development on the physicochemical properties of KOH-activated carbons, Journal of the Chinese Institute of Chemical Engineers 39 .37-47

Ra, E.J., E. Raymundo-pinero, Y.H. Lee, F. Beguin. High power supercapacitors using polyacrylonitrile carbon nano fiber paper. Carbon 47: 2984-2992.

Sing, K.S.W., Everret, D.H., Haul, R.A.W., Mouscou, L., Pierotti, R.A., Rouquerol, J., Siemieniewska, T., (1985). Reporting physisorption data for gas solid system with special reference to determination of surface-area and porosity. Pure and Applied chemistry 57: 603-619.

Swapp,S.(2011). Scanning electron microscopy (SEM)[online]. Wyoming: Integrating research & education. Available at:<URL:serch.Carlotta.edu/research_education/geocheshettecniques/SEM.html>[accessed.12 may 20011]

Taer, E. (2009). Pembangunan superkapasitor menggunakan elektroda karbon. FMIPA Universitas Riau : Laporan penelitian.

Taer, E. M. Deraman, I.A. Thalib, A.A. Umar, M. Omaya, R.M. Yunus, (2010). Physical, electrochemical and supercapacitive properties of activated carbon pellets from pre-carbonized rubber wood sawdust by CO₂ activation. Elsevier: Current Applied Physics 10:1071–1075.

Taer, E., Deraman, I.A. Thalib, A. Awidrus, S.A. Hashmi, A.A. Umar, (2011). Preparation of a Highly Porous Binderless Activated Carbon Monolith from Rubber Wood Sawdust by a Multi-Step Activation Process for Application in Supercapacitors. *Int. J. Electrochem. Sci.*, 6:3301 – 3315.

V. Ruiz, C. Blanco, M. Granda, R. Menendez. 2007. Influence of electrod preparation on the electrochemical behavior of carbon-based supercapacitor. *J Appl Electrochem.* 37. 717-

X. Ren, S. Gottesfeld, J. P. Ferraris, in: F.M. Delnick, M. Tomkiewicz (Eds). 1996. Elektrochemical capacitor. Procidings. Vols. 95-29. The electrochemical society. Pennington. NJ. P. 138.

X. Andrieu, Energy storage syst. 2000. Electron, : New trend electrochem. Technol. 1 .521.

X. He^a , Y. Geng^a, J. Qiu^b, M. Zheng^a, S. Long^a and X. Zhang^a, 2010, Effect of activation time on the properties of activated carbons prepared by microwave-assisted activation for electric double layer capacitors, *Carbon*, Vol 48, issu 5, 1662-1669

W-C. Fang, J-H. Huang, L-C. Chen, Y-L. Oliver Su, K-H. Chend, 2006. Effect of temperature annealing on capacitive and structural properties of hydrous ruthenium oxides, *Journal of Power Sources* 160. 1506–1510

Zhao, J., Lai, C., Yang Dai, Jingjing Xie (2007). Pore structure control of mesoporous carbon as supercapacitor material. *Materials Letters* 61(23-24): 4639-4642.

Zulhamdi (2009). Pengaruh temperatur karbonisasi terhadap nilai kapasitansi spesifik serbuk gergaji kayu karet. Skripsi Jurusan Fisika FMIPA Universitas Riau, Pekanbaru.