

Daftar Pustaka

Badan Litbang Kesehatan. Masalah Hipertensi di Indonesia. <http://digilib.litbang.depkes.go.id>. Diakses pada 30 November 2009.

Bautista LE. 2008. Predictors of Persistence With Antihypertensive Therapy: Results From the NHANES. *Am J Hypertens*, 21 2: 183–8.

Benner JS, Glynn RJ, and Mogun H. 2002. Long-term persistence in use of statin therapy in elderly patients. *JAMA*, 288:455–61.

Borghi C, Veronessi M, Dormi A, Prandin MG, Cosentino E, and Strocchi E. (2007). Persistence of Treatment and Blood Pressure Control in Elderly Hypertensive Patients Treated With Different Classes of Antihypertensive Drugs. Am J Ger Cardiol, 16(5): 280-6.

Cushman WC, Ford CE, Einhorn PT, Wright JT, Preston RA, Davis BR, Basile JN, Whelton PK, Weiss RJ, Bastien A, Courtney DL, Hamilton BP, Kirchner K, Louis GT, Retta TM, and Vidt DG. 2008. Blood Pressure Control by Drug Group in the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT). *J Clin Hypertens*, 10(10): 751-60.

Departemen Kesehatan Republik Indonesia. Profil Kesehatan Indonesia 2007. <http://www.depkes.go.id>. Diakses pada 5 November 2009.

Departemen Kesehatan Republik Indonesia. Hipertensi Faktor Risiko Utama Penyakit Kardiovaskular. <http://www.depkes.go.id>. Diakses pada 30 November 2009.

Fitchett, D. 2007. Clinical Trial Update: Focus on the ONTARGET Study. *Vasc Health Risk Manag*, 3(6): 901–8.

Gogovor A, Dragomir A, Savoie M, and Perreault S. 2007. Comparison of Persistence Rates with Angiotensin-Converting Enzyme Inhibitors Used in Secondary and Primary Prevention of Cardiovascular Disease. *Value In Health* 10(5):431-41.

Haller H. 2008. Effective Management of Hypertension with Dihydropyridine Calcium Channel Blocker-Based Combination Therapy in Patients at High Cardiovascular Risk. *Int J Clin Pract*, 62(5): 781–90.

Hasford J, Bernhardi DS, Rottenkolber M, Kostev K, and Dietlein G. 2007. Persistence with antihypertensive treatments: results of a 3-year follow-up cohort study. *Eur J Clin Pharmacol*, 63:1055–61.

Heran BS, Wong MMY, Heran IK, and Wright JM. 2008. Blood Pressure Lowering Efficacy of Angiotensin Converting Enzyme (ACE) inhibitors for Primary Hypertension. *Cochrane Database of Systematic Reviews*, Issue 4.

Heran BS, Wong MMY, Heran IK, and Wright JM. 2008. Blood Pressure Lowering Efficacy of Angiotensin Receptor Blockers for Primary Hypertension. *Cochrane Database of Systematic Review*, Issue 4.

Hoer A, Gothe H, Schiffhorst G, Vincze G, and Hausler B . 2007. Persistence and Adherence With Antihypertensive Drug Therapy in a German Sickness Fund Population. *J Hum Hypertens*, 21: 744–6.

Howland RD and Mycek MJ. 2006. *Lippincott's Illustrated Reviews: Pharmacology*, Thid Edition. Lippincot Williams& WilkinsB, Baltimore.

Iglehart JK. 2002. Changing Health Insurance Trend. *New Engl J Med*, 347(12): 956-62.

Jackevicius CA, Cox JL, Carreon D, Tu JV, Rinfret S, So D, Johansen H, Kalavrouziotis D, Demers V, Humphries K, and Pilote L. 2009. Long-term trends in use of and expenditures for cardiovascular medications in Canada. *Can Med Assoc J*, 181(1-2): 19-28.

Jones JK, Gorkin L, Lian JF, Staffa JA, and Fletcher AP . 1995. Discontinuation of and changes in treatment after start of new courses of antihypertensive drugs: a study of a United Kingdom Population. *BMJ*, 311: 293-5.

Lundy A, Lutfi N, and Beckey C. 2009. Review of nifedipine GITS in the treatment of high risk patients with coronary artery disease and hypertension. *Vasc Health Risk Manag*, 5:429-40.

Mayor S. 2003. Diuretics are as effective as ACE inhibitors and channel blockers. *BMJ*, 326.

Patel BV, Baker RAR, Mehta D, Thiebaud P, Tamas FF and Preblick R. 2007. Effects of Initial Antihypertensive Drug Class on Patient Persistence and Compliance in a Usual-Care Setting in the United States. *J Clin Hypertens*, 9(9):692-700.

Petrea RE, Beiser AS, Seshadri S, Hayes MK, Kase CS, and Wolf PA. 2009. Stroke in Women- Gender Difference in Stroke Incidence and Post Stroke Disability in the Framingham Heart Study. *Stroke*, 49 (4): 1032-1037.

Prandin MG, Cicero AFG, Veronesi M, Cosentino E, Dormi A, Strocchi E, and Borghi C. 2007. Persistence on Treatment and Blood Pressure Control with Different First-Line Antihypertensive Treatments: A Prospective Evaluation. *Clinical and Experimental Hypertension*, 29:553–562.

PT. ASKES Persero Indonesia. Info Peserta ASKES. <http://www.ptaskes.com/> Diakses pada 30 Juli 2009.

Schlesselman JJ. 1974. Sample Size Requirements in Cohort and Case Control Studies of Diseases. *Am J Hygiene*, 99 (6): 381-4.

Setiawan Z. Prevalensi dan Determinan Hipertensi di Pulau Jawa, Tahun 2004. <http://www.fkm.ui.ac.id/>. Diakses pada 11 November 2009.

- Taylor RB. 2005. *A Handbook Cardiovascular Disease*. Springer Sciences. New York.
- The ONTARGET investigators. 2008. Telmisartan, Ramipril, or Both in Patients at High Risk for Vascular Events. *New Engl J Med*, 358(15):1547-59.
- The Seventh Report of the Joint National Committee on prevention, detection, evaluation, and treatment of high blood pressure. 2003. *NIH publication*. 03 - 5 2 3 3 .
- The TRANCE investigators. 2008. Effects of the angiotensin-receptor blocker telmisartan on cardiovascular events in high-risk patients intolerant to angiotensin-converting enzyme inhibitors: a randomised controlled trial. *Lancet*, 372: 1174-83.
- Trenkwalder P. 2004. Antihypertensive Treatment with Calcium Channel Blockers: Pharmacological Pornography or Useful Intervention? *Nephrol Dial Transplant*, 19: 17–20
- Van Wijk BLG, Shrank WH, Klungel OH, Schneeweis S, Brookhart MA, and Avorn J. 2008. A Cross National study of the Persistence of Antihypertensive Medication use in the Elderly. *J Hypertens*, 26 (1): 145-153.
- Williams B, Poulter NR, Brown MJ, Davis M, McInnes GT, Potter JF, PS Sever PS, and Thom SM. Guidelines for management of hypertension: report of the fourth working party of the British Hypertension Society 2004-BHS IV. *J Hum Hypertens*, 18: 139-85.
- Wiysonge CSU, Bradley HA, Mayosi BM, Maroney RT, Mbewu A, Opie L, and Volmink J. 2007. Beta-blockers for hypertension (Review). *Cochrane Database of Systematic Reviews*, Issue 4.
- Wong MCS, Jiang JY, Lam AT, Fung H, Griffiths S, and Mercer SW. 2008. Patterns of Antihypertensive Prescribing, Discontinuation and Switching among a Hong Kong Chinese Population From Over One Million Prescriptions. *J Hum Hypertens*, 22: 714–6.
- World Health Organization. Data and statistics Hypertension. http://www.who.int/topics/cardiovascular_diseases/en/. Diakses pada 26 Juli 2009.
- Wright JM and Musini VM. 2009. First-line drugs for hypertension. *Cochrane Database of Systematic Reviews*, Issue 3.
- Yu YF, Nichol MB, Yu AP, and Ahn J. 2005. Persistence and Adherence of Medications for Chronic Overactive Bladder/Urinary Incontinence in the California Medicaid Program. *Value in Health*. 8(4) : 495-505.