





































- Rieley, J.O., S.E. Page, and B. Setiadi. (1996b). Distribution of peatland in Indonesia. In: Lappalainen, E. (ed.) *Global Peat Resources*, International Peat Society, Jyväskylä, Finland. pp. 169–178.
- Silvius, M.J. (1989). Indonesia. In: Scott, D.A. (compiler) IUCN, pp. 981–1109. Gland, Switzerland.
- Sorensen, K.W. (1993). Indonesian peat swamp forests and their role as a carbon sink. *Chemosphere* 27(6):1065–1082.
- Suzuki T. & Jascalne DV (1986). Response of dipterocarp seedling to various light condition under forest canopies. *Bulletin of Forest and Forestry Product Research Institute* 336: 19-34.
- Takahashi H, Usup A, Hayasaka H, Limin SH (2003) Estimation of ground water levels in a peat swamp forest as an index of peat/forest fire. *Proceedings of the International Symposium on Land Management and Biodiversity in Southeast Asia, Bali, Indonesia, 17–20 September 2002*.
- Waddington, J.M, and Price, J.S. (2000). Effect of peatland drainage, harvesting, and restoration on atmospheric water and carbon exchange. *Physical Geography* 21, 433-51.
- Wetlands International (2007). *Assessment on Peatlands, Biodiversity and Climate Change*.
- Wibisono I.T.C., Silber, T., Lubis, I. R, Rais D.S, Suryadiputra, N, Silvius, M, Susanna & Joosten H., (2011). *Peatlands in Indonesia's National REDD+ Strategy*. Wetland International-Indonesia Programme, Bogor.
- WWF, (2008) *Deforestation, Forest Degradation, Biodiversity Loss and CO<sub>2</sub> Emission in Riau, Sumatra, Indonesia: One Indonesian Province's Forest and Peat Soil Carbon Loss over a Quarter Century and Its Plans for the Future*. WWF Indonesia Technical Report, Jakarta, Indonesia.
- Van Kooten, G.L., Arthur, L. and Wilson, W. (1992). Potential to sequester carbon in Canadian forests: some economic considerations. *Canadian Public Policy* XVIII(2): 127-136.