

## DAFTAR PUSTAKA

1. Breinza N., Dalfino L., Cinnella G., Diele C., Bruno F., dan Fiore T. Jaundice in critical illness; Promoting factors of a concealed reality. *Intensive care Med*, 2006; 32: p. 267-74.
2. Soultati A dan Dourakis S.P. Liver dysfunction in the intensive care unit. *annals of gastroenterology*. 2005; 18(1): p. 35-45.
3. Kress J. P., Christenson J., Pohlman A. S., Linkin D. R., dan Hall J. B. Outcomes of Critically Ill Cancer Patients in a University Hospital Setting *Am J Respir Crit Care Med*, 1999; 160: p. 1957-61.
4. Rahman T. M. dan Wendon J. Severe hepatic dysfunction in pregnancy. *Q J Med* 2002; 95: p. 343-57.
5. Marshall JC, Cook DJ, Christou NV, Bernard GR, Spring CL, Sibbald WJ. Multiple Organ dysfunction score: a reliable descriptor of a complex clinical outcome. *Crit care med* 1995. 23 : 1638-1652.
6. Nunes S., Rothen H. U. , Brander L., Takala J., dan Jakob S. M., Changes in Splanchnic Circulation During an Alveolar Recruitment Maneuver in Healthy Porcine Lungs. *Anesth Analg* 2004; (98): p. 1432-8.
7. Grau T, Bonet A, Rubio M, Mateo D, Farré M, Acosta J. A., Blesa A, Montejo J. C., de Lorenzo A. G., dan Mesejo A. Liver dysfunction associated with artificial nutrition in critically ill patients *Critical Care* 2007; 11 (R10); p. 1-12. Available online <http://ccforum.com/content/11/1/R10>.
8. Parrish C. R., Liver Dysfunction Associated with Parenteral Nutrition: What Are the Options? *practical gastroenterology* . 2006; p. 45-54.
9. Ferreira F. L., Bota D. P., Bross A., Me'lot C., dan Vincent J. Serial Evaluation of the SOFA Score to Predict Outcome in Critically Ill Patients. *JAMA*, 2001; 286 (14): p. 1754-58.
10. Giannini EG, Testa R, Savarino V. Liver Enzyme alteration: a guide for clinicians. Canadian Medical Association. 2005. Vol 172 (3) 367-379.
11. Boekhorst T, Urlus M, Doesburg W, Yap SH, Goris RJ. Etiologic factors of jaundice in severely ill patients. A retrospective study ini patients admitted to an intensive care unit with severe trauma or with septic intra-abdominal complications following surgery and without evidence of bile duct obstruction. *J hepatol*. 1988;7 (1);111-117.
12. Brinkman A, Calzia E, Trager K, Rademacher P. Monitoring the hepato-splanchnic region in the critically ill patient. Measurement techniques and clinical relevance. *Intensive Care Med*. 1998;24:542-556.
13. Hendrickson H., Chatterjee S., Cao S., Ruiz M. M., Sessa W. C., dan Shah V. Influence of caveolin on constitutively activated recombinant eNOS: insights into eNOS dysfunction in BDL rat liver. *Am J Physiol Gastrointest Liver Physiol*, 2003; 285: p. 652-660.
14. Zhang H., Rogiers P., Smail N., Cabral A., Preiser J, Peny M dan Vincent J. Effects of nitric oxide on blood flow distribution and O<sub>2</sub> extraction capabilities during endotoxic shock. *J Appl Physiol*, 1997; 83: p. 1164-73.
15. Hawker F H., Torzillo P. J., dan Southee A. E. PEEP and "reverse mismatch". A case where less PEEP is best. *Chest* 1991; 99: p. 034-1036.

16. Marik PE, Varon J. The Hemodynamic Derangements in Sepsis. Implications for Treatment Strategies. 1998. Chest;114:854-860.
17. Jakob S. M., Tenhunen J. J., Laitinen S., Heino A., Alhava E., dan Takala J. Effects of systemic arterial hypoperfusion on splanchnic hemodynamics and hepatic arterial buffer response in pigs. Am J Physiol Gastrointest Liver Physiol, 2001; 280: G819-27.
18. Jakob S. M., Splanchnic Blood Flow in Low-Flow States. Anesth Analg 2003; (96): p. 1129-38
19. Yang S, Koo D. J., Zhou M, Chaudry I. H., dan Wang P. Norepinephrine-induced hepatocellular dysfunction in early sepsis is mediated by activation of  $\alpha$ 2-adrenoceptors Am J Physiol Gastrointest Liver Physiol, 2001; 281: p G1014-21.  
Hosotsubo K, Nishimura M, and Nishimura S. Primary research. Hyperbilirubinemia after major thoracic surgery: comparison between open-heart surgery and oesophagectomy. Crit Care. 2000;4:180-87.
21. Halftenein A, Windolf J, Sanger P, Hanisch E. Incidence and Prognosis of Postoperative jaundice in surgical intensive care patients. Chirurg. 1997; 68(12):1292-6.
22. Meade M. O, Cook D. J., Guyatt G. H., Slutsky A. S., Arabi Y. M., Cooper D. J., Davies A. R., Hand L. E, Zhou Q, Thabane L, Austin P, Lapinsky S., Baxter A., Russell J, Skrobik Y., Ronco J. J, Stewart T. E. Ventilation Strategy Using Low Tidal Volumes, Recruitment Maneuvers, and High Positive End-Expiratory Pressure for Acute Lung Injury and Acute Respiratory Distress Syndrome: A Randomized Controlled Trial. Jama, 2008; 299 (6): p. 637-45
23. Isselbacher K J. Bilirubin Metabolism and Hyperbilirubinemia. Dalam Harrison's Principles of Internal Medicine, 12<sup>th</sup> ed vol. 2, Wilson J. D., Braunwald E., Isselbacher K J., Petersdorf R. G., Martin J. B., Fauci A. S., dan Root R. K (ed). New York, Mc Graw Hill, 1991; chap. 251.: p. 1317-22.
24. Ranieri V. M., Suter P. M, Tortorella C., Tullio R. D., Dayer J. M., Brienza A., Bruno F., dan Slutsky A. S. Effect of Mechanical Ventilation on Inflammatory Mediators in Patients With Acute Respiratory Distress Syndrome: A Randomized Controlled Trial. Jama, 1999; 281(1): p. 54-61.
25. Coss-Bu J.A., Walding D.L., David Y.B., dan Jefferson L.S. Dead Space Ventilation in Critically ill Children With Lung Injury. Chest, 2003;123:2050-6.
26. Heyland D. K., MacDonald S., Keefe L., dan Drover J. W. Total Parenteral Nutrition in the Critically Ill Patient: A Meta-analysis. Jama, 1998; 280 (23): p.2013-9.
27. Dellinger RP, Levy MM, Carlet JM, Bion J, Parker MM, Jaeschke R; et al. Surviving Sepsis Campaign: International guidelines for management of severe sepsis and septic shock: 2008. Crit Care Med 2008;p10-12
28. Angelico M dan Guardia D. Review article: hepatobiliary complications associated with total parenteral nutrition. Aliment Pharmacol Ther, 2000; 14 (2): p. 54-7.
29. Navarro V. J., dan Senior J. R. Drug-Related Hepatotoxicity. N Engl J Med, 2006; 354: p. 731-9
30. Lemeshow, S., Hosmer, D. W., Lwanga, S. K., 1997, Besar Sampel Dalam Penelitian Kesehatan, (terj.), PP. 21 – 6, Gadjah Mada University Press, Yogyakarta.
31. Maqsood S, Salleem A, Iqbal A, dan Butt JA. Precipitating Factors of Encephalopathy: experience in Pakistan Institute of Medical Sciences Islamabad. J Ayub Coll Abbottabad. 2006;18(4):57-61.

32. Maynard ND, Bihari DJ, Dalton RN, Beale R, Smithies MN dan Mason RC. Liver Function and Splanchnic Ischemia in Critically Ill patients. Chest. 1997; 111:188-87.
33. Marie Joly L, Monchi M, Cariou A, Chiche JD, Bellenfant F, Brunet F dan Dhainaut F. Effects of Dobutamine on Gastric Mucosal Perfusion and Hepatic Metabolism in Patients with Septic Shock. Am. J. Respir. Crit. Care Med. 1999. Vol 160; (6):1983-1986.
34. De Backer D, Creteur J, Dubois MJ, Sakr Y, Koch M, Verdant C, Vincent JL. The effects of dobutamine on microcirculatory alterations in patients with septic shock are independent of its systemic effects. Crit care med. 2006 Feb;34(2):403-8.
35. Djallalluddin. Pengaruh hiperbilirubinemia terkonjugasi pada prognosis penderita yang dirawat di Ruang perawatan intensif RSDK Semarang. 2009; 35-36.