

DAFTAR PUSTAKA

- Affandi, R; D.S.Sjafei; M.F.Rahardjo dan Sulistiono, 1992. Fisiologi Ikan "Pencernaan" Departemen Pendidikan dan Kebudayaan, Direktorat Jenderal Pendidikan Tinggi, Pusat Antar Universitas Ilmu Hayat, Institut Pertanian Bogor, Bogor.
- Anonimus, 1986. Biology and culture of seabass (*Lates calcarifer*). Training Manual. Network of Aquaculture Centers in Asia, Bangkok, Thailand.
- Anonimus, 1990-2000. Laporan tahunan statistik perikanan Propinsi Riau.1990 - 2000. Dinas Perikanan dan Kelautan Propinsi Riau, Pekanbaru.
- Association of Official Analytical Chemists. 1990. Official methods of analysis. AOAC, Washington DC.
- Asgard, T. and E. Austreng. 1985. Dogfish offal, ensiled or frozen, as feed for salmonids. Aquaculture, 49: 289-305.
- Backhoff, H.P. 1976. Some chemical changes in fish silage. Journal of Food Technology, 11:353-363.
- Boonyaratpalin, M., P. Suranciranat and T. Tumpibal, 1998. Replacement of fishmeal with various types of soybean products in diets for the Asian seabass (*Lates carcarifer*). Aquaculture, 161: 67-78.
- Boonyaratpalin, S., J.L. Fryer, R.P. Hendrick, K. Supamattaya, S. Direkbusarakom and U. Jadesadakraisom, 1990. Development of kidney diseases and occurrence of pathogen in seabass (*Lates carcarifer*) fed two different diets. Technical Paper NO. 8/1990. National Institute of Coastal Aquaculture. Department of Fisheries, Thailand 13 p.
- Boonyaratpalin, M. and J. Phongmaneeratana, 1990. Requirement of seabass for dietary phosphorus. Technical Paper No. 4/1990. National Institute of Coastal Aquaculture, Thailand, 20 p.
- Brown, N. and J. Sumner. 1985. Fish silage. FAO Fisheries Report No. 317, FAO, Rome, pp. 404-413.
- Catacutan, M.R. and R.M. Coloso. 1995. Effects of dietary protein to energy ratios on growth, survival and body composition of juvenile Asian seabass (*Lates carcarifer*). Aquaculture 131: 125-133.
- Catacutan, M.R. and R.M. Coloso. 1997. Growth of juvenile Asian seabass (*Lates carcarifer*) fed varying carbohydrate and lipid levels. Aquaculture 149: 137-144.

- Chau, R. 1984. The effect of dietary water content on the feed intake, food conversion efficiency and growth of young seabass (*Lates carcarifer*). Singapore J. Primary Ind. 12 (2): 120-127.
- Chau, R. 1988. Progress of sea farming activities, research and development in Singapore. Appendix XIII, p. 81-89. In Report of the Second National Coordinators Meeting on Regional Seafarming Development and Demonstration Projects, Network of Aquaculture Centers in Asia, Bangkok, Thailand.
- Chau, R.F., J. Wong and H.B. Lee, 1987. Observation on the weaning of fingerlings of some cultured marine food fish in Singapore. Singapore J. Primary Ind. 15 (2): 64-72.
- Cho, C.Y. and S.J. Slinger. 1979. Apparent digestibility measurement in feedstuffs for rainbow trout. In: J.E. Halver & K. Tiews (Eds), Proceeding of a World Symposium on Finfish Nutrition and Fish Feed Technology, Hamburg 20-23 June 1978, Vol. II., Heenemann GmbH & Co., Berlin, pp. 239-247.
- Chua, T.E. and S.K. Teng, 1978. Effect of feeding frequency on the growth of young estuary grouper, *Epinephelus tauvina* (Forsk.), cultured in floating net-cages. Aquaculture 14:31-47.
- Chungyampin, S. and M. Boonyaratpalin, 1988. Effect of type of feeds and squid meal on growth of seabass fingerlings. National Institute of Coastal Aquaculture (Unpublished data)
- Cohen, S.A. M. Meys and T.L. Tarvin. 1989. The PicoTag Method. A manual of Advanced Techniques for Amino Acid Analysis. Waters Chromatography Division, 34 Maple Street, Milford, MA., 123 pp.
- Cuzon, G. and J. Fuchs, 1988. Preliminary nutritional studies of seabass (*Lates carcarifer*) protein and lipid requirement. p.1516. In 19th Annual Conference and Exposition world Aquaculture Society, Hawaii 88 Program and Abstracts.
- De Silva, S.S., R.M. Gunasekera and K.F. Shim. 1991. Interaction of varying dietary protein and lipid levels in young red tilapia: evidence of protein sparing. Aquaculture, 95:305-318.
- Disney, J.G., I.N. Tatterson and J. Olley. 1977. Recent development in fish silage. In: Proceedings of the conference on the handling, processing and marketing of tropical Fish. Tropical Product Institute. London, pp. 231-240.

- Dong, F.M., W.T. Fairgrieve, D.I. Skonberg and B.A. Rasco. 1993. Preparation and nutrient analysis of lactic acid bacterial ensiled salmon viscera. *Aquaculture*, 109:351-366.
- Fagbenro, O.A. 1994. Dried fermented fish silage in diet for *Oreochromis niloticus*. *The Israeli J. Aquacul. Bamidgeh*, 46 (3): 140-147.
- Fagbenro, O.A. and K. Jauncey. 1993. Chemical and nutritional quality of stored fermented fish (tilapia) silage. *Bioresource Technology*, 46:207-211.
- Fagbenro, O.A. and K. Jauncey. 1995. Growth and protein utilization by juvenile catfish (*Clarias gariepinus*) fed dry diets containing co-dried lactic acid fermented fish silage and protein feedstuffs. *Bioresource Technology*, 51: 29-35.
- Furukawa, A. and H. Tsukahara. 1976. On the acid digestion method for the determination of chromic oxide as an index substance in the study of digestibility of fish feed. *Bull. Jpn. Soc. Sci. Fish.*, 32: 502-506.
- Gilberg, A. and J. Raa. 1977. Properties of a propionic acid/formic acid preserved silage of cod viscera. *J. Sci. Food Agric.*, 28: 647-653.
- Hasan, B., C.R. Saad, A.R. Alimon, M.S. Kamarudin and Z. Hassan. 1998. Preparation of fish silage using *Lactobacillus pentosus*. *Berkala Terubuk*, 71: 65-70.
- Hasan, B., C.R. Saad, A.R. Alimon, M.S. Kamarudin dan Z. Hassan. 1999. The Effects of various dietary energy levels and protein concentrations on growth performance of river catfish (*Mystus nemurus*). *Malaysian Journal of Animal Science*, 5(1&2) 83-92.
- Hasan, B., C.R. Saad, A.R. Alimon, M.S. Kamarudin and Z. Hassan. 2001a. Microbial fermentation of fish waste (fish silage). *Jurnal Peternakan dan Lingkungan*, 7:2:41-49.
- Hasan, B., C.R. Saad, A.R. Alimon, M.S. Kamarudin and Z. Hassan. 2001b. Replacement of fishmeal with co-dried fish silage in the diet for *Mystus nemurus*. *Malaysian Journal of Animal Science*, 7(1) 69-78.
- Heras, H., C.A. McLeod and R.G. Ackman. 1994. Atlantic dogfish silage vs. herring silage in diets for Atlantic salmon (*Salmo salar*): growth and sensory evaluation of fillets. *Aquaculture* 125: 93-106.
- James, M.A., K.M. Iyer and M. R. Nair. 1977. Comparative study of fish Silage prepared by microbial fermentation and formic acid ensilage. *TPI, London*, 203-205.
- Jantrarotai, W., P. Sitasit, P. Jantrarotai, T. Viputhanumas and P. Sarabua. 1998. Protein and energy levels for maximum growth, diet utilization, yield of

edible flesh and protein sparing of hybrid *Clarias* catfish (*Clarias macrocephalus* x *Claris gariepinus*). Journal of the World Aquaculture Society, 29: 281-289.

- Kompiang, I.P. 1995. Pakan untuk budidaya ikan di KJA Laut. In A. Sudrajat, W. Ismail, B.Priono, Murniyati dan E. Pratiwi (Eds) Pros. Temu usaha masyarakat teknologi keramba jarring apung bagi budidaya laut, Jakarta, 12-13 April 1995. Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian.
- Levin, R.E., R. Witkowski and Y. Meirong. 1989. Research note: preparation of fish silage with phosphoric acid and potassium sorbet. J. Food Biochem., 12: 253-259.
- Lindgren, S. and M. Pleje. 1983. Silage fermentation of fish or fish waste products with lactic acid bacteria. Journal of the Science of Food and Agriculture, 34: 1057-1067.
- Mangalik, A. 1986. Dietary energy requirements of channel catfish. Ph.D. Dissertation, Auburn University, Auburn, AL.
- Mustahal, B. Slamet dan P. Sunyoto. 1995. Pemberian pakan ikan laut di karamba jarring apung. In A. Sudrajat, W. Ismail, B.Priono, Murniyati dan E. Pratiwi (Eds) Pros. Temu usaha masyarakat teknologi keramba jarring apung bagi budidaya laut, Jakarta, 12-13 April 1995. Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian.
- Myer, R.O., D.D. Johnson, W.S. Otwell, W.R. Walker and G.E. Combs. 1990. Evaluation of scallop viscera silage as a high protein feedstuff for growing- finishing swine. Anim. Feed Sci. Technol., 31: 43-53.
- Nilson, R. 1970. Evaluation of novel protein products. In: A.E. Bender, R. Kihlberg, B. Lofqvist and L. Munck (Eds), Proc. Int. Biol. Programme and Wanner Gren Centre Symp. Stockholm, 11-13 September, 1968. Oxford, Pergamon.
- Nilson, R. and C. Rydin. 1963. Fermentation as a means of preserving organic material. Acta Chem. Scand., 17: 173-179.
- Olley, J. and D. James. 1972. Rural research. CSIRO Rep. No. 77.
- Owens, J.D. and L.S. Mendoza. 1985. Enzymically hydrolyzed and bacterially fermented Fishery products. J. Food Technol., 20: 273-293.
- Por-ngam, N., Chonchuencob and U. Boonchum. 1989. Dietary mineral requirements in seabass. In IDRC Fish Nutrition Project Annual Report, Department of Fisheries, Thailand, 3 p.

- Rajinon, M.A. 1985. Essential fatty acid metabolism in the fetal and newborn lamb. PhD. Dissertation, The University of Melbourne, Australia.
- Roa, P.D. 1965. Ensilage of fish by microbial fermentation. *Fish News Int.*, 4: 284-286.
- Sachithananthan, K. 1982. Studies on fish silage production and its use in the People's Democratic Republic of Yemen. FAO Fisheries Report No. 269, pp. 259-266.
- Sakaras, W.M., M. Boonyaratpalin, N. Unprasert and P. Kumpang, 1988. Optimum dietary protein energy in seabass feed. I. Technical Paper No.7, Rayong Brakish Water Fisheries Station, Thailand, 20 pp.
- Sakaras, W.M., M. Boonyaratpalin and N. Unprasert, 1989. Optimum dietary protein energy ratio in seabass. II. Tecprotein ratio Technical Paper No.22, Rayong Brakish Water Fisheries Station, Thailand, 22 pp.
- Sukardi, F. 2003. Kebijakan teknis usaha perikanan budidaya dalam menyongsong era perdagangan bebas. Makalah Seminar Nasional "Prospek Bisnis Perikanan dan Kelautan di Era Perdagangan Bebas", Bengkalis 15 januari 2003.
- Stanton, W.R. and Q.L. Yeoh. 1976. Low salt fermentation method for conserving trash fish waste under Southeast Asian condition. In: *Proceedings of the conference on the handling, processing and marketing of tropical fish*. Tropical Products Institute, London. 277-282
- Statistical Analysis System Institute (1990). SAS/Grpaph User's Guide: Statistics, Version 6th edn. Cary, NC, 596 pp.
- Steel, R. G. D. and J. H. Torrie (1980). Principles and procedures of statistic. McGraw Hill, New York, USA.
- Tacon, A.G.J. and N. Rausin, 1989. Seabass cage culture trial, p.34-69. In *The food and feeding of seabass (*Lates carcarifer*), grouper (*Epinephelus tauvina*) and rabbit fish (*Siganus canaliculatus*) in floating net cages*. INS/81/008 Technical Paper 13. The National Seafarming Development Center, Lampung, Indonesia.
- Tatterson, I.N. 1982. Fish silage: preparation, properties and uses. *Anim. Feed Sci. Technol.*, 7: 153-159.
- Tatterson, I.N. and M.L. Windsor. 1974. Fish silage. *Journal of the Science and Food Agriculture*, 25: 369-379.

- Viena, M.T., L.M. Lopez, and Z.G.E.E. Mendez. 1996. The use of silage made from fish and abalone viscera as an ingredient in abalone feed. *Aquaculture*, 140: 87-98.
- Viena, M.T., M. Cervantes-Trujono and R. Solana-Sansores. 1994. Attraction and palatability activities in juvenile abalone (*Haliotis fulgens*): nine ingredients used in artificial diets. *Aquaculture*, 127: 19-28.
- Von Hofsten, B. and S. Wirahadikusumah (1972). In: Waste recovery by microorganisms, (eds. W.R. Stanton), UNESCO/ICRO Work Study, P.63. Dewan Bahasa dan Pustaka, Kuala Lumpur, Malaysia.
- Wanakowat, J. and M. Boonyaratpalin, 1991. Vitamin requirement and deficiency signs of juvenile seabass. I. Technical Paper. National Institute of Coastal Aquaculture, Songkhla, Thailand.