

TABLE OF CONTENTS

| | |
|--|-----|
| COMPUTATION OF THE HEAT TRANSFER AND FLUID FLOW IN A CARBON MONOXIDE BOILER | 1 |
| <i>Chun-Lang Yeh</i> | |
| A STUDY ON OF EFFECTS OF THE ANGLE OF OIL COOLER INTERNAL TURBULENCE GENERATOR ON HEAT TRANSFER | 9 |
| <i>Daw Hae Kim, Chan Woo Park, Oh Kyung Kwon, Dong An Cha</i> | |
| PERFORMANCE EVALUATION OF GEOTHERMAL HEAT PUMP WITH DIRECT EXANSION TYPE VERTICAL GROUND HEAT EXCHANGER | 18 |
| <i>Minsung Kim, Young-Jin Baik, Ho-Sang Ra</i> | |
| THERMODYNAMIC ANALYSIS AND EXPERIMENTAL RESEARCH OF TRANSCRITICAL CO₂ WITH DOUBLE THROTTLE VALVE SYSTEM | 25 |
| <i>Wang Zhe, Gong Yi, Wu Xuehong, Zhang Wenhui, Li Yaqiang</i> | |
| DETERMINATION OF EJECTOR AREA RATIO AND SYSTEM PERFORMANCE OF A COMBINED EJECTOR-VAPOR REFRIGERATION CYCLE | 34 |
| <i>J. Yan, W. Cai, Y. Li</i> | |
| MODELING OF SUCTION LINE HEAT EXCHANGER FOR R134A MOBILE AIR-CONDITIONING SYSTEM | 42 |
| <i>Y. Hwang, H. Kim, K. Jang, S. Byon</i> | |
| STUDY ON QUALITY OF GREEN PEPPER DURING CONTROLLED FREEZING POINT STORAGE | 50 |
| <i>J. Shen, K. Y. Hu, X. H. Liu, L. Liu</i> | |
| EVALUATING INDOOR AIR TEMPERATURE DISTRIBUTION WITH NEW ACCESSIBILITY INDICES | 57 |
| <i>X. J. Ma, X. L. Shao</i> | |
| EXPERIMENTAL MEASUREMENT OF THERMAL PROPERTIES OF AL₂O₃-H₂O NANO-FLUIDS | 65 |
| <i>Su Yun, Liu Bin, Dong Xiaoyong, Cai Bihao</i> | |
| A THEORETICAL AND EXPERIMENTAL STUDY OF THE EVAPORATION RATE OF METHANOL DROPLETS ON A HORIZONTAL SURFACE | 70 |
| <i>Cai Bihao, Liu Bin, Su Yun, Dong Xiaoyong</i> | |
| ONLINE ROBUST CONTROL OF CHILLED WATER SYSTEMS OF BUILDINGS FOR ENERGY PERFORMANCE ENHANCEMENT | 77 |
| <i>Gao Dian-Ce, Wang Shengwei, Xiao Fu</i> | |
| EXPERIMENTAL STUDY ON CHARACTERISTICS OF CONDENSATION HEAT TRANSFER OF OBLIQUE-FIN TUBE | 85 |
| <i>Zhang Tongrong, Ouyang Xinpeng</i> | |
| THE INVESTIGATION OF ENHANCED POOL BOILING HEAT TRANSFER PERFORMANCE FOR TiO₂-R141B NANOFLUID USING ULTRASONIC VIBRATION | 93 |
| <i>Tong-Bou Chang, Tsung-Yu Tsai</i> | |
| EVALUATION OF A NOVEL ENERGY UTILIZATION MODE IN MICRO-CCHP SYSTEM | 109 |
| <i>J. L. Wang, J. Y. Wu, C. Y. Zheng</i> | |
| CORRELATION COEFFICIENT ANALYSIS OF TOLERANCE FACTORS IN 15RT R410A SCROLL COMPRESSOR | 117 |
| <i>Liu Yangguang, Yang Yaubin, Chang Yu-Choung</i> | |
| EXPERIMENTAL STUDY ON THE INFLUENCE OF DIFFERENT TYPES OF NANOMATERIALS ADDED ERYTHRITOL COMPOSITE AS PHASE CHANGE MATERIAL | 125 |
| <i>X. Zhang, W. Wang, Z. Han, Y. Yang</i> | |
| DISCUSSION OF THE TERMS COMMONLY USED IN THE INDIRECT EVAPORATIVE AIR COOLING CONDITIONING TECHNOLOGY | 131 |
| <i>Qing Xia, Xiang Huang, Qinghai Yin</i> | |
| ANALYSIS OF MICRO-CHANNEL HEAT EXCHANGER AS CONDENSER IN THE APPLICATION OF COMMERCIAL AIR-CONDITIONING SYSTEM | 138 |
| <i>Zhu Le-Qi, Chen Xu</i> | |
| DEVELOPMENT OF AN EMBEDDED VAPOR-COMPRESSION REFRIGERATION SYSTEM FOR COMPUTER CPU COOLING | 143 |
| <i>Y. Yufei, Y. Weixing, W. Yu</i> | |



| | |
|--|-----|
| DESIGN AND EXPERIMENTAL STUDY OF A MINIATURE MICRO-CHANNEL PLATE HEAT EXCHANGER | 152 |
| <i>Y. Yufei, Y. Weixing</i> | |
| MEASUREMENT OF TRANSPORT IN RENAL CELL SUSPENSIONS DURING FREEZING | 159 |
| <i>K. Zhu, Y. B. Wang, N. An, Y. J. Wang</i> | |
| IMPLEMENTATION OF AN AIR CONDITIONING CHILLED WATER SYSTEM MULTI-CORE CONCEPT WITH ENERGY EFFICIENT DESIGN AND OPERATIONAL OPTIMIZATION | 167 |
| <i>C. C. Chien, C. N. Chang, J. S. Shyu, J. M. Huang, B. S. Tang, L. K. Zhu</i> | |
| CFD STUDY ON THE AIRSIDE HEAT TRANSFER AND PRESSURE DROP OF HEAT EXCHANGER USING WIDE FIN | 175 |
| <i>S. M. Wu, G. Y. Zhou, F. C. Zhou</i> | |
| CFD SIMULATION AND EXPERIMENTAL STUDY FOR DIRECT-COOLING REFRIGERATOR | 182 |
| <i>Deng Dexi, Zhang Hui, Lu Pengfei, Zhou Fuchang</i> | |
| SOLID CONCENTRATION DISTRIBUTION OF TBAB CLATHRATE HYDRATE SLURRY IN A STORAGE TANK | 188 |
| <i>P. Zhang, Z. W. Ma, X. J. Shi, R. Z. Wang</i> | |
| EXPERIMENTAL ANALYSIS OF ADSORPTION AND DESORPTION CHARACTERISTICS OF A MESO-POROUS SILICA COATED FIN-TUBE HEAT EXCHANGER | 196 |
| <i>L. Zhang, M. Saikawa, T. Fujinawa, T. Kaida, K. Hashimoto</i> | |
| STUDY ON ADSORPTION COOLING SYSTEM POWERED BY FUEL CELL WASTE HEAT | 204 |
| <i>S. T. Oh, B. B. Saha</i> | |
| ADSORPTION COOLING SYSTEM USING GRANULAR ACTIVATED CARBON/R134A PAIR | 211 |
| <i>A. A. Askalany, B. B. Saha, I. M. Ismail</i> | |
| THEORETICAL INVESTIGATION OF AN EJECTOR COOLING MACHINE POWERED BY SOLAR ENERGY OR WASTE HEAT | 217 |
| <i>K. O. Shestopalov, Chen Guangming</i> | |
| NUMERICAL SIMULATION ON PERFORMANCE OF CO₂ TWO-PHASE EJECTOR REFRIGERATION SYSTEM | 224 |
| <i>Y. Zhao, Z. F. Zhang, X. W. Guo, X. M. Guo, Y. Zhao</i> | |
| AN EXPERIMENTAL STUDY ON THE OPTIMAL INTERMEDIATE TEMPERATURE OF A CASCADE REFRIGERATION SYSTEM WITH R134A AND R410A | 231 |
| <i>Hansaem Park, Dong Ho Kim, Min Soo Kim</i> | |
| NUMERICAL SIMULATION ON THE FLOW CHARACTERISTICS IN AN ELECTRONIC EXPANSION VALVE | 238 |
| <i>Wu Junyun, Yu Yi, Guo Mingzhu, Qiu Huixiang</i> | |
| THE EFFECTS OF DC/AC MAGNETIC FIELDS ON THE SUPERCOOLING PHENOMENON OF PHYSIOLOGICAL SALINE | 243 |
| <i>H. X. Zhao, Z. P. Zhou, D. S. Zhang, Y. R. Zhou, J. T. Han</i> | |
| NUMERICAL SIMULATION RESEARCH ON WATER ATOMIZATION IN OIL FLOW | 249 |
| <i>Zhang Guo-Fang, Yuan Zhu-Lin</i> | |
| DEVELOPMENT OF AN AIR-CONDITIONING EQUIPMENT FOR THE ELECTRIC CONTROL CABINET USAGE | 256 |
| <i>Y. Kuan, J. Wang, J. Chang, Y. Chen, H. Gu</i> | |
| THE RESEARCH OF A NOVEL GLCC USED BEFORE EVAPORATOR IN REFRIGERATION SYSTEM | 264 |
| <i>Han Qing, Hu Jichao, Xu Bo, Chen Jiangping</i> | |
| EXPERIMENTAL ASSESSMENT OF AIR SOURCE HPWH USING AN INVERTER-FED COMPRESSOR UNDER DIFFERENT WATER INLET TEMPERATURE | 273 |
| <i>N. Shyher, C. Lingyu, Y. Peiyu, W. Jerrong, C. Yuchoung</i> | |
| BEHAVIOR OF ISOBARIC HEAT CAPACITY OF R 32 IN THE GAS PHASE | 280 |
| <i>N. Kagawa, A. Matsuguchi, K. Yamaya, K. Watanabe</i> | |
| AN EXPERIMENTAL STUDY ON COUNTER CURRENT FLOW LIMITATION PHENOMENA FOR OIL RETURN IN SUCTION PIPES | 288 |
| <i>Guo Tiandong, Jang Jin Yong, Do Sang Cheol, Jeong Ji Hwan</i> | |
| THE APPLICATION RESEARCH OF THE 5MM DIAMETER INNER SCREWED COPPER TUBE USED IN INDOOR COIL OF THE AIR-CONDITIONER | 296 |
| <i>Guo Defang, Song Qiang, Li Yinyin</i> | |
| THE EXPERIMENTAL STUDY ON HEAT PUMP AIR CONDITIONER WITH CONDENSING HEAT RECOVERY | 301 |
| <i>Defu Shi, Hua Chen</i> | |
| THE PROCESS PERFORMANCE STUDY OF DYNAMIC ICE SLURRY SYSTEM INTO ICE | 308 |
| <i>Liu Shenghcun, Rao Zhiming, Sun Zhili, Song Lizhao, Liu Jiangbin</i> | |



| | |
|---|------------|
| ADVANCEMENT IN EXPLOITING RESEARCH ON REPLACEMENT OF CH₄ FROM HYDRATE WITH CO₂ IN FRIGID PERMAFROST REGION | 314 |
| <i>Xue-Min Zhang, Jin-Ping Li, Lin-Jun Wang, Liang Jiao</i> | |
| THE DESIGN AND PERFORMANCE RESEARCH OF THE NEW KIND OF MULTISTAGE CONDENSATION FILTRATION DISENGAGING GEAR..... | 321 |
| <i>Wang Ying, Jiheng Zhang, Sun Ying, Bangxi Wu</i> | |
| THE DEVELOPMENT STATUS OF THE SOLAR SEMICONDUCTOR AUTOMOTIVE AIR CONDITIONING PATENT IN CHINA..... | 326 |
| <i>Wang Ying, Zhu Jiao-Ying</i> | |
| DESIGN OF AN ORC EXPERIMENTAL FACILITY WITH TWIN SCREW EXPANDER..... | 332 |
| <i>Tang Hao, Chen Wenqing, Wu Huagen, Xing Ziwen</i> | |
| THEORETICAL AND EXPERIMENTAL RESEARCH ON THE OPTIMUM OPERATING CONDITIONS OF SEMICONDUCTOR REFRIGERATION | 339 |
| <i>Wang Ying, Lv Zhi-Jia, Pang Yun-Feng</i> | |
| EXPERIMENTAL STUDY OF VACUUM SPRAY ICE SLURRY PRODUCTION | 345 |
| <i>H. X. Zhao, Y. J. Lou, Z. T. Yu, J. T. Han</i> | |
| THEORETICAL STUDY ON VACUUM COOLING BY WATER SPRAY EVAPORATION | 353 |
| <i>B. J. Sun, H. X. Zhao, D. S. Zhang, Q. H. Xu, J. T. Han</i> | |
| A NOVEL HEAT EXCHANGE 2ND STATION BASED ON EJECTOR HEAT PUMP | 361 |
| <i>B. Zhang, Y. C. Wang</i> | |
| EXPERIMENT STUDY ON AUTO-CASCADE REFRIGERATION SYSTEM WITH SIPHON-TYPE LIQUID LEVEL CONTROL DEVICE | 369 |
| <i>Wang Ying, Liang Lei, Sun Ying, Wu Bang-Xi</i> | |
| FLOW PATTERN AND PRESSURE DROP OF TWO-PHASE FLOW IN A HORIZONTAL DISTRIBUTOR TUBES | 375 |
| <i>A. Aziz, A. Miyara, F. Sugino</i> | |
| SIMULATION ANALYSIS ON THE BAND-TUBE EVAPORATOR CHARACTERISTICS | 383 |
| <i>Wu Junyun, Guo Mingzhu, Ge Rongjian, Qiu Huixiang</i> | |
| EXPERIMENTAL INVESTIGATION OF A HIGH-TEMPERATURE AIRSOURCE HEAT PUMP WATER HEATER | 389 |
| <i>T. S. Lee, W. C. Huang</i> | |
| RECENT DEVELOPMENT IN SOLAR EJECTOR COOLING..... | 397 |
| <i>B. J. Huang, R. H. Yen, K. O. Shestopalov, V. O. Petrenko</i> | |
| EXERGY ANALYSIS OF AIR SOURCE ABSORPTION HEAT PUMP USED FOR HEATING AND DOMESTIC HOT WATER..... | 405 |
| <i>W. Wu, X. L. Zhagn, X. T. Li, W. X. Shi, B. L. Wang</i> | |
| EXPERIMENTAL STUDY ON THE INFLUENCE OF THE ICE-TEMPERATURE OF FRUITAND VEGETABLES WITH ICE-TEMPERATURE REGULATOR | 413 |
| <i>Wang Ying, Zheng Xunzhou</i> | |
| EXPERIMENTAL STUDY ON VACUUMAND ICE-TEMPERATURE STORAGE OF THE SWEET PEPPER | 419 |
| <i>Wang Ying, Peng Fei, Ma Xian-Ping</i> | |
| EXPERIMENTAL STUDY ON AIRSIDE PERFORMANCE OF SLOTTED FIN-TUBE HEAT EXCHANGER | 424 |
| <i>Y. Guo, X. Jin, T. Kamada, Z. Du</i> | |
| RESEARCH OF HEAT TRANSFER AND PRESSURE DROP CHARACTERISTIC OF CONCAVO-CONVEX PLATE..... | 434 |
| <i>Akira Kaneko, Masafumi Katsuta, Yuki Hamano</i> | |
| NATURAL GAS PRESSURIZED LIQUEFACTION PROCESS ADOPTING CASCADE REFRIGERATION AND CO₂ REMOVAL BY ANTI-SUBLIMATION..... | 443 |
| <i>X. J. Xiong, W. S. Lin</i> | |
| THE IMPACT OF PERIODIC VIBRATION IN VERTICAL DIRECTION ON THE DEVELOPMENT OF DOUBLE-DIFFUSIVE CONVECTION OF A LIQUID BINARY ALLOY DURING THE UNIDIRECTIONAL SOLIDIFICATION PROCESS | 451 |
| <i>Y. C. Shih, J. S. Ye, C. C. Chiu, S. L. Chang</i> | |
| PERFORMANCE COMPARISON OF R410A AND R32 IN A VAPOR INJECTION HEAT PUMP SYSTEM WITH A FLASH TANK..... | 458 |
| <i>X. Xu, Y. Hwang, R. Radermacher</i> | |
| RESEARCH ON NUCLEATION OF WATER FROM AN EMBRYO USING MD SIMULATION | 466 |
| <i>S. Okawa, S. Sendai</i> | |



| | |
|---|-----|
| THE COMPARISONS AND ANALYSIS OF A BUILDING BETWEEN THE TWO AIR-CONDITIONING SYSTEMS..... | 474 |
| <i>Rong Luo, Xiang Huang, Guimin Jin</i> | |
| STUDY ON THE CHANNEL FLOW IN GAS DIFFUSION LAYER (GDL) OF PROTON EXCHANGE MEMBRANE FUEL CELL | 484 |
| <i>Im Mo Kong, Sung Kim, Kyung Don Baik, Min Soo Kkim</i> | |
| CFD SIMULATION FOR FLUID FLOW INSIDE BRAZED PLATE HEAT EXCHANGERS..... | 490 |
| <i>Kiang Xiang, Zhifeng Zhang, Wenjian Wei</i> | |
| THE PERFORMANCE OF CONDENSER UNDER DIFFERENT VEHICLE SPEED | 496 |
| <i>A. Shen, B. Lu</i> | |
| A THEORETICAL STUDY ON THE EVAPORATION CHARACTERISTICS OF FALLING LIQUID OXYGEN FILMS..... | 504 |
| <i>Y. Zhou, J. Yu, Y. Li</i> | |
| VISUALIZATION AND INTERNAL PRESSURE MEASUREMENT OF HORIZONTAL SCREW TYPE ICE SLURRY MAKER TUBE | 511 |
| <i>S. H. Lee, Y. P. Lee, D. Y. Lee, H. Yoo</i> | |
| DEVELOPMENT OF A SIMULATION PROGRAM OF A REFRIGERATION CYCLE FOR A WATERPURIFIER..... | 519 |
| <i>Y. Jeon, Y. Kim, J. Lee, H. Park</i> | |
| NUMERICAL SIMULATION OF TWO-PHASE HEAT TRANSFER AND PRESSURE DROP OF R600A IN MICROCHANNEL TUBE UNDER LOW MASS FLUX AND LOW TEMPERATURE | 526 |
| <i>Z. G. Qi</i> | |
| REFRIGERANT CHARGE OPTIMIZATION OF A DUAL SOURCE HEAT PUMP USING THE GROUND AND WATER SOURCE | 536 |
| <i>J. Lee, Y. Kim, M. Oh, H. Park</i> | |
| THE THEORETICAL CALCULATION AND COMPUTER SIMULATION OF THE RESERVOIR ISSUES IN LOW-TEMPERATURE CIRCUIT OF CO₂ CASCADE REFRIGERATION CYCLE SYSTEM..... | 542 |
| <i>Huan Shu, Yingming Xie, Wuzhou Bai</i> | |
| CONDENSATION HEAT TRANSFER IN FLATTENED MICROFIN TUBES HAVING DIFFERENT ASPECT RATIO..... | 549 |
| <i>H. W. Byun, N. H. Kim, E. J. Lee, H. M. Sim</i> | |
| ACTUAL ROOM AIR CONDITIONER USAGE IN THE RESIDENTIAL SECTOR OF JAPAN | 557 |
| <i>H. Okamoto, C. Tanaka, E. Hihara</i> | |
| ENHANCING INFLUENCE OF FERROFLUID ON AMMONIA BUBBLE ABSORPTION PROCESS IN ROTATING MAGNETIC FIELD..... | 564 |
| <i>Ding Peng, Zhang Caixia, Wu Weidong, Li Zengyang</i> | |
| EVALUATION OF BOREHOLE GSHP PERFORMANCE FOR GREENHOUSE IN JAPAN AND ITS NUMERICAL MODEL..... | 570 |
| <i>Huai Li, Katsunori Nagano, Yuanxiang Lai</i> | |
| SIMULATION INVESTIGATION ON SOLAR DRIVEN DESICCANT COATED HEAT EXCHANGER COOLING SYSTEM..... | 582 |
| <i>T. S. Ge, Y. J. Dai, R. Z. Wang</i> | |
| STUDY ON A ROTARY COMPRESSOR FOR HOUSEHOLD REFRIGERATOR..... | 590 |
| <i>Guozhen Ouyang, Xiping Lijie</i> | |
| STUDY OF FLOW BOILING HEAT TRANSFER OF R32 IN SMOOTH HORIZONTAL TUBES WITH VARIOUS INNER DIAMETERS..... | 596 |
| <i>Minxia Li, Chaobin Dang, Eiji Hihara</i> | |
| PREDICTION FOR SATURATED FLOW BOILING HEAT TRANSFER IN MINI-CHANNELS | 604 |
| <i>M. Li, X. Fu, C. Dang, Y. Ma</i> | |
| BOILING HEAT TRANSFER AND PRESSURE DROP OF R-1234YF IN A SMALL HORIZONTAL TUBE OF 1.5 MM INNER DIAMETER..... | 613 |
| <i>N. B. Chien, K. W. Kim, K. I. Choi, J. T. Oh, H. K. Oh</i> | |
| TEST ANALYSIS AND IMPROVEMENT MEASURES OF A AIR-CONDITIONING IN TEXTILE MILLS..... | 620 |
| <i>Haihong Huo, Xiang Huang, Yanbin Bai</i> | |
| STUDY OF SELF-EXCITED FLUTTER AND FORCED RESPONSE OF TURBOMACHINERY ROTOR BLADE..... | 627 |
| <i>Chih-Neng Hsu</i> | |
| CO₂ ABSORPTION AND REGENERATION PERFORMANCE ENHANCEMENT USING SiO₂/H₂O NANOFLUIDS | 635 |
| <i>Jong Sung Lee, Jae Won Lee, Yongtae Kang</i> | |



| | |
|--|------------|
| DEVELOPMENT OF BINARY NANOEMULSION TO APPLY FOR DIFFUSION ABSORPTION REFRIGERATOR AS A REFRIGERANT..... | 642 |
| <i>Kyoungh-Ryul Lee, Sung-Soo Kim, Yongtae Kang</i> | |
| EXPERIMENTAL STUDY ON COMBINED HEAT AND MASS TRANSFER OF THE LITHIUM CHLORIDE AQUEOUS SOLUTION FOR A PLATE TYPE DEHUMIDIFIER..... | 649 |
| <i>Yongsun Jo, Gu Hyun Ro, Yongtae Kang</i> | |
| EFFECT OF AIR INLET CONDITION IN THE HIGH-TEMPERATURE GENERATOR USING EXHAUST..... | 658 |
| <i>K. J. Bae, H. U. Cho, H. H. Cho</i> | |
| EFFECT OF CHARGE AMOUNT AND LENGTH OF IHX ON PERFORMANCE CHARACTERISTICS OF CO₂ COOLING SYSTEM..... | 663 |
| <i>M. S. Kwak, H. H. Cho</i> | |
| PERFORMANCE OF A RESIDENTIAL HEAT PUMP WITH LOW GWP REFRIGERANT..... | 668 |
| <i>N. Koo, K. Cho, B. Lim, B. Yoon</i> | |
| AN EXPERIMENTAL STUDY OF LOW TEMPERATURE RADIANT FOR SENSIBLE COOLING..... | 675 |
| <i>K. C. Chien, Y. K. Chuah, W. T. Chang</i> | |
| EXPERIMENTAL AND NUMERICAL SIMULATION OF UTILIZING A VERTICAL GARDEN TO REDUCE INDOOR CARBON DIOXIDE QUANTITY..... | 683 |
| <i>Kuang-Cheng Yu, Win-Jet Luo, Pai-Chen Wu</i> | |
| ENERGY PERFORMANCE OF DIMMABLE FLUORESCENT LAMPS IN THE INTEGRATED DAYLIGHTING CONTROL SYSTEM IN COLD CLIMATE..... | 694 |
| <i>L. Xu, W. U. Kim, Y. Kim</i> | |
| EVALUATING TRANSIENT INDOOR AIR TEMPERATURE DISTRIBUTION WITH ACCESSIBILITY INDICES..... | 702 |
| <i>X. J. Ma, X. L. Shao, C. Chen, X. T. Li</i> | |
| THE EMPIRICAL CORRELATION FOR HEAT TRANSFER AND PRESSURE DROP IN SINGLE-PHASE TURBULENT FLOW INSIDE INTERNALLY HELICAL-GROOVED HORIZONTAL SMALL-DIAMETER TUBES..... | 710 |
| <i>J. Ichinose, N. Inoue</i> | |
| CONDENSATION OF REFRIGERANT MIXTURES HFO1234ZE(E)/HFC32 IN A MULTI-PORT TUBE..... | 718 |
| <i>D. Jige, S. Koyama</i> | |
| IMPROVEMENT OF HEAT TRANSFER PERFORMANCE IN GAS-COOLER FOR CO₂ HEAT PUMP WATER HEATER..... | 726 |
| <i>Y. Matsuo, M. Ichihara, S. Koyama, K. Machinda</i> | |
| EXPERIMENTAL STUDY ON FLOW BOILING HEAT TRANSFER COEFFICIENT AND PRESSURE DROP IN MULTIPORT EXTRUDED TUBES AT LOW MASS FLUX REGION..... | 732 |
| <i>C. Tanaka, C. Dang, F. Matsuoka, E. Hihara</i> | |
| EVALUATING AVAILABILITY OF ZEOTROPIC MIXTURE R1234ZE(E)/R32 IN A HEAT PUMP CYCLE..... | 739 |
| <i>S. Fukuda, C. Kondou, S. Koyama</i> | |
| THE BUILT-UP OF A DATA BASE FOR COOLING LOAD COMPUTATION FOR TYPICAL BUILDING ENVELOPES IN TAIWAN..... | 747 |
| <i>Y. C. Liu, Y. K. Chuah, Y. C. Chang</i> | |
| DESIGN AND EXPERIMENTAL EVALUATION OF ROBUST PID AND PI-PD TEMPERATURE CONTROLLERS FOR HEAT PUMP DRYER..... | 756 |
| <i>Kuei-I Tsai</i> | |
| STUDY ON PERFORMANCE EVALUATION FOR A CENTRAL HEAT SOURCE SYSTEM OF THE COMMERCIAL BUILDING BY A NUMERICAL SIMULATION..... | 763 |
| <i>N. Hisashi, N. Noriyuki, K. Shigeki</i> | |
| A STUDY ON THE AIR DISTRIBUTION OF DISPLACEMENT COOLING FOR THEATRE SEATING OUTLETS..... | 771 |
| <i>J. T. Lin, Y. K. Chuah</i> | |
| A GENERAL DISTRIBUTED-PARAMETER MODEL FOR TRANSIENT SIMULATION OF FINNED TUBE HEAT EXCHANGERS WITH ARBITRARY TUBE CIRCUITRY..... | 779 |
| <i>P. Zhang, G. L. Ding</i> | |
| ENVIRONMENTAL PERFORMANCE OF REFRIGERANTS IN RAC FROM A NATIONAL PERSPECTIVE..... | 788 |
| <i>Xiaohan Xu, Chaobin Dang</i> | |
| PRESSURE DROP AND HEAT TRANSFER INSIDE COILED HELICAL-GROOVED TUBES FOR HOT-WATER SUPPLY SYSTEMS..... | 794 |
| <i>S. Iku, K. Watanabe, N. Inoue</i> | |



| | |
|--|------------|
| EXPERIMENTAL INVESTIGATION OF HEAT TRANSFER CHARACTERISTICS OF LOUVER FIN-AND-TUBE HEAT EXCHANGER WITH 5 MM DIAMETER TUBES UNDER WET CONDITIONS | 802 |
| <i>W. Wu, G. L. Ding, Y. F. Gao, J. Song</i> | |
| EXPERIMENTAL STUDY ON CONDENSATION OF A ZEOTROPIC MIXTURE R1234ZE(E) / R32 IN A HORIZONTAL MICRO-FIN TUBE..... | 810 |
| <i>D. Baba, H. Nakahta, C. Kondou, S. Koyama</i> | |
| EFFECT OF A DELTA-WINGLET VORTEX GENERATOR ON THE PERFORMANCE OF A FIN-AND-TUBE HEAT EXCHANGER | 818 |
| <i>Chih-Yung Tseng, Jane-Sunn Liaw, Yu-Choung Chang, Chi-Chuan Wang</i> | |
| DYNAMIC SIMULATION ON AMECHANICAL/THERMAL COMPRESSION HYBRID AIR-CONDITIONING CYCLE | 826 |
| <i>T. Miyazaki, K. Uddin, S. Koyama</i> | |
| A STUDY ON FLOW BOILING HEAT TRANSFER ENHANCEMENT OF GRAPHENE COATING SURFACE | 835 |
| <i>Xiru Zheng, Chan Woo Park</i> | |
| AN EXPERIMENTAL STUDY ON OPERATION PERFORMANCE OF GROUND SOURCE VRF SYSTEM..... | 840 |
| <i>Wu Jiachen, Zhang Xu, Dong Lijuan, Yang Jie</i> | |
| STUDY ON NEW ICE SLURRY GENERATOR USING NA CL AQUEOUS SOLUTION AT LOW CONCENTRATION | 848 |
| <i>K. Fumoto, T. Sato, T. Kawanami, T. Inamura</i> | |
| THE EFFECT OF THE PH ON THE GROWTH OF THE LACTIC ACID BACTERIA SEPARATED FROM KIMCHI..... | 857 |
| <i>Jeehye An, Jeaman Yeon, Young Soo Chang</i> | |
| A STUDY ON THE HEAT TRANSFER PERFORMANCE OF A SINTERED CNT/CU COMPOSITE COATED INSIDE PIPE SURFACE..... | 864 |
| <i>K. A. Ada, E. J. Pialago, X. Zheng, C. W. Park</i> | |
| NET ZERO ENERGY BUILDING: REASONABLE PATHS TO APPROACH..... | 874 |
| <i>R. Z. Wang, S. Deng, J. Dai, J. Y. Wu</i> | |
| Author Index | |

