

Community Service, Ministry of Research Technology and Higher Education Republic of Indonesia (Grant No.054/S P2H/PL/DRPM/III/2016).

REFERENCES

1. Kottelat, M., A.J. Whitten, S.N. Kartikasari and S. Wirjoatmodjo, 1993. Freshwater Fishes of Western Indonesia and Sulawesi. Periplus Editions (HK) Ltd., Hong Kong, Pages: 221.
2. Aryani, N., 2015. Native species in Kampar Kanan river, Riau province Indonesia. Int. J. Fish. Aquat. Stud., 2: 213-217.
3. Warsa, A., A.S. Nastiti, Krismono and A. Nurfiarini, 2009. Fisheries resources in Koto Panjang reservoir. Bawal, 2: 93-97.
4. Fithra, R.Y. and Y.I. Siregar, 2010. Fishes biodiversity of Kampar river an inventory from Kampar Kanan river. J. Environ. Sci., 2: 139-147.
5. Aryani, N., I. Suharman and S. Hasibuan, 2016. Length-weight relationship and condition factor of the critically endangered fish of Geso, *Hemibagrus wyckii* (Bleeker, 1858) bagridae from Kampar Kanan river, Indonesia. J. Entomol. Zool. Stud., 4: 119-122.
6. Simanjuntak, C.P.H., M.F. Rahardjo and S. Sukimin, 2006. [Ichthyofauna in floodplain of Kampar Kiri river]. J. Ikhtologi Indonesia, 6: 99-109, (In Indonesian).
7. Aryani, N., 2015. Fish and Environmental Change. Bung Hatta University Press, Indonesia, Pages: 130.
8. Garcia-Rodriguez, F.J., S.A. Garcia-Gasca, J. De La Cruz-Aguero and V.M. Cota-Gomez, 2011. A study of the population structure of the Pacific sardine *Sardinops sagax* (Jenyns, 1842) in Mexico based on morphometric and genetic analyses. Fish. Res., 107: 169-176.
9. Kalhoro, M.A., Q. Liu, T. Valinassab, B. Waryani, A.R. Abbasi and K.H. Memon, 2015. Population dynamics of greater Lizardfish, *Saurida tumbil* from Pakistani waters. Pak. J. Zool., 47: 921-931.
10. Hossain, M.Y., J. Ohtomi and Z.F. Ahmed, 2009. Morphometric, meristic characteristics and conservation of the threatened fish, *Puntius sarana* (Hamilton, 1822) (Cyprinidae) in the Ganges river, Northwestern Bangladesh. Turk. J. Fish. Aquat. Sci., 9: 223-225.
11. Hossain, M.A.R., M. Nahiduzzaman, D. Saha, M.U.H. Khanam and M.S. Alam, 2010. Landmark-based morphometric and meristic variations of the endangered carp, *Kalibaas labeo calbasu*, from stocks of two isolated rivers, the jamuna and halda and a hatchery. Zool. Stud., 49: 556-563.
12. Saroniya, R.K., D.N. Saksena and N.S. Nagpure, 2013. The morphometric and meristic analysis of some *puntius* species from central India. Biolife, 1: 144-154.
13. Vatandoust, S., A. Abdoli, H. Anvarifar and H. Mousavi-Sabet, 2014. Morphometric and meristic characteristics and morphological differentiation among five populations of brown trout *Salmo trutta fario* (Pisces: Salmonidae) along the Southern Caspian sea basin. Eur. J. Zool. Res., 3: 56-65.
14. Manorama, M. and S.N. Ramanujam, 2016. Morphometry, meristic characters and conservation aspects of the vulnerable fish species *Pethia shalynius* Yazdani and Talukdar, 1975 (*Actinopterygii: Cypriniformes*) in the Umiam river, North-East India. Indian J. Fish., 63: 113-116.
15. Ng, H.H. and M. Kottelat, 2013. Revision of the Asian catfish genus *Hemibagrus* Bleeker, 1862 (Teleostei: Siluriformes: Bagridae). Raffles Bull. Zool., 61: 205-291.
16. APHA., AWWA. and WPCF., 1995. Standard Methods for the Examination of Water and Wastewater. 17th Edn., APHA., New York, USA.
17. Chakravorty, K., J. Pathak and M.M. Goswami, 2016. Study of the morphometry and meristic analyses of three *Mystus* species from the Chandubi Beel, Kamrup district, Assam. Int. J. Life. Sci. Scient. Res., 2: 478-487.
18. Azrita, H. Syandri, Dahelmi, Syaifullah and E. Nugroho, 2013. Morphological characterization of *Channa lucius* on the waters of Singkarak lake West Sumatra, Tanjung Jabung and Kampar floodplain. J. Natur Indonesia, 15: 1-8.
19. Aryani, A., Nuraini and I. Suharman, 2013. Morphological characterization of green catfish (*Hemibagrus nemurus*) aquatic habitat on the different method based truss morfometrics. J. Fish. Aquacult., 4: 139-142.
20. Syandri, H., Azrita and Junaidi, 2014. Morphological characterization of asang fish (*Osteochilus vittatus*, Cyprinidae) in Singkarak lake, Antokan river and Koto Panjang reservoir West Sumatra province, Indonesia. J. Fish. Aquacult., 5: 158-162.
21. Chen, P.C., T.D. Tzeng, C.H. Shih, T.J. Chu and Y.C. Lee, 2015. Morphometric variation of the oriental river prawn (*Macrobrachium nipponense*) in Taiwan. Limnol. Ecol. Manage. Inland Waters, 52: 51-58.
22. Turan, C., M. Oral, B. Ozturk and E. Duzgunes, 2006. Morphometric and meristic variation between stocks of bluefish (*Pomatomus saltatrix*) in the Black, Marmara, Aegean and Northeastern Mediterranean seas. Fish. Res., 79: 139-147.
23. Sunarno, M.T.D., A. Wibowo and Subagja, 2007. Identification of the three groups of fish belida (*Chitala lopis*) in the Tulang Bawang, Kampar and Kapuas rivers with biometric approach. J. Perikanan Indonesia, 13: 87-94.
24. Wibowo, A., M.T.D. Sunarno, Subagja and T. Hidayah, 2009. Characterization of population putak fish (*Notopterus notopterus*) using analysis of phenotypic diversity and DNA mitochondria. J. Penelitian Perikanan Indonesia, 15: 1-12.

25. Chaklader, M.R., M.A.B. Siddik, M.A. Hanif, A. Nahar, S. Mahmud and M. Piria, 2016. Morphometric and meristic variation of endangered pabda catfish, *Ompok pabda* (Hamilton-Buchanan, 1822) from Southern coastal waters of Bangladesh. Pak. J. Zool., 48: 681-687.
26. Junquera, S. and G. Perez-Gandaras, 1993. Population diversity in bay of biscay anchovy (*Engraulis encrasicolus* L. 1758) as revealed by multivariate analysis of morphometric and meristic characters. ICES J. Mar. Sci., 50: 383-391.
27. Nofrita, D., H. Syandri and D.H. Tjong, 2015. Morphological differentiation between Bilih Fish (*Cyprinidae: Mystacoleucus padangensis*, Bleeker) in Singkarak lake and Anai river, West Sumatra, Indonesia. J. Entomol. Zool. Stud., 3: 171-175.
28. Tomljanovic, T., M. Piria, T. Treer, R. Safner and N. Sprem *et al.*, 2011. Morphological parameters of common carp (*Cyprinus carpio* L.) populations in republic of Croatia. Croatian J. Fish., 69: 81-93.

